



**McLOUIS**


2 0 1 9



6 WPS



7 Don't let the cold stop you  



8 ALKO

**McLOUIS**

2 0 1 9



12 The Upholstery



50 GLAMYS 300



16 NEVIS  
300



NEVIS  
800 22



32 MC4  
300



40 MC4  
800



52 GLAMYS  
800



58 MENFYS  
VAN

# Mclouis is ready. Have you packed your bags?

Your holiday is about to begin!  
Getting on board a Mclouis brings back the thrill of your first holidays with friends. Remember the excitement and the fun of eating together?  
Mclouis is like a den made to measure for your carefree adventures. There's a Mclouis that's perfect for every travel party. You can choose from motorhomes, low-profiles, over-cabs and campervans all laid out so you can express your thirst for freedom to the full.  
Set off with Mclouis to conquer the world!



# McLOUIS



NEVIS

MC4


GLAMYS

# Technological concept in the construction of walls, floor and roof



- 01 Total absence of wood
- 02 Total waterproofing and higher heat insulation
- 03 Highest torsion resistance and more stability
- 04 Higher wear resistance and easy maintenance
- 05 Lighter and more resistant structure thanks to the use of bi-composite thermosetting resins

- A) Fibreglass
- B) Extruded polystyrene
- C) Bi-composite thermosetting resins
- D) Nonslip and abrasion resistant PVC



NEVIS

MC4


GLAMYS

# Don't let the cold stop you




### HEATED WINDSHIELD

Windshield with double function: defroster in winter season and solar heat protection during the summer (OPT-Nevis)



### UNDERFLOOR HEATING SYSTEM

In combination with the heating, it offers greater interior comfort thanks to the use of self-regulating cables or heating films (OPT where foreseen)



HEATED, LIT GARAGE



### DASHBOARD PROTECTION

Greater protection against cold draughts inside the passenger compartment. (OPT-Nevis)




### WINDSHIELD EXTERNAL BLIND

Greater windshield protection against cold/heat (OPT-Nevis)



### INSULATED STEP

Greater floor insulation, more efficient protection against the cold (OPT)



### ISOLATED WASTE WATER

Tank and exhaust valve with anti-freezing resistor (OPT)



**Truma Combi** is the smallest heating system in Europe, and it works with both gas and electricity.(Opt). It is fitted as standard equipment with Frost-Control, the current-free drainage/safetyvalve for freeze control. The water heats up quickly for long and pleasant showers . Available asan option with a new control unit called CP PLUS. Collision sensor that cuts off the gas supplyin case of accident. **Boiler/heater system Combi 4** (Opt Combi 6, Combi 6E, and Combi 6 Diesel) Heating with channelled air.



The **Alde central heating system** works on the same principle as a modern home. Quality heating. Convectors and radiators along the outer walls, and pipes in floor, heat up the air, which in turn heats up the furniture and surfaces. The rising, warm air forms abarrier in front of the windows,keeping the cold out. **Boiler Alde 3020 HE** Alde Compact 3020 HE is the heart of the heating system. Frost control is a drain/safety valve that automatically opens and drains the water heater when there is a risk of frost. Control panel Touch screen the entire advanced system is controlled simply and intuitively by thecontrol panels touch screen. Hot Water The **Alde Compact 3020 HE boiler** has a built-in heater that ensures that you always have hot water in the shower and kitchen.


NEVIS

Take all your emotions and bring them with you


**AL-KO**



NEVIS 879



- A) Technical volume of tank located on the rear axle
- B) Volume of front pass-through locker
- C) Access to the pass-through locker (RH side)
- D) Access to the pass-through locker (LH side)



- 1) AMC lowered frame with modular construction featuring low weight
- 2) Hot-galvanised frame
- 3) Axle with wider track
- 4) Torsion bar axle
- 5) Independent wheel suspensions





5,5 mt

6 mt

### A-Class

# NEVIS 300

# NEVIS 800



NEVIS 868 (6,80 mt)

### Low profiles

# MC4 300



MC4 331 (5,99 mt)



MC4 339 (6,49 mt)



MC4 367 (6,99 mt)

# MC4 800



MC4 833 (6,37 mt)



MC4 834 (6,49 mt)



MC4 837 (6,66 mt)



MC4 871 (6,99 mt)

### Cabover Models

# GLAMYS 300



GLAMYS 326 (6,99 mt)

# GLAMYS 800



GLAMYS 840 (6,99 mt)



GLAMYS 826 (6,99 mt)

### Campervans

5,45 mt

5,99 mt

# MENFYS VAN



MENFYS S-LINE 1  
(5,42 mt)



MENFYS S-LINE 3  
(5,99 mt)



MENFYS S-LINE 5  
(5,99 mt)

7 mt

7,5 mt



NEVIS 375 (7,41 mt)



NEVIS 381 (7,41 mt)



NEVIS 379 (7,41 mt)



NEVIS 373 (7,41 mt)



NEVIS 822 (7,26 mt)



NEVIS 882 (7,39 mt)



NEVIS 875 (7,42 mt)



NEVIS 880 (7,39 mt)



NEVIS 879 (7,39 mt)



NEVIS 873 (7,39 mt)



MC4 360 (6,99 mt)



MC4 375 (7,41 mt)



MC4 381 (7,41 mt)



MC4 379 (7,41 mt)



MC4 373 (7,41 mt)



MC4 822 (6,99 mt)



MC4 880 (7,38 mt)



MC4 879 (7,38 mt)



MC4 875 (7,38 mt)



MC4 860 (6,99 mt)



MC4 881 (7,38 mt)



MC4 873 (7,38 mt)



GLAMYS 322 (6,99 mt)



GLAMYS 822 (6,99 mt)



GLAMYS 823 (7,35 mt)

6,36 mt



MENFYS S-LINE 3 MAXI (5,99 mt)



MENFYS S-LINE 4 CS (5,99 mt)



MENFYS S-LINE 4 (6,36 mt)

# The Upholstery

**NEVIS**  
300

**MC4**  
300

**GLAMYS**  
300



**TERRA** (standard)  
ECO LEATHER



**ARIA** (optional)  
MICROFIBRE



**FUOCO** (optional)  
ECO LEATHER



**ACQUA** (optional)  
ECO LEATHER

**MENFYS**  
VAN



**CLASSIC** (standard)  
QUILTED MICROFIBRE AND ECO-LEATHER

**NEVIS**  
800

**MC4**  
800

**GLAMYS**  
800



**PRESTIGE (standard)**  
ECO-LEATHER WITH QUILTED MICROFIBRE BAND



**LUXURY RED (optional)**  
MICROFIBRE WITH QUILTED BAND



**LUXURY BROWN (optional)**  
MICROFIBRE WITH QUILTED BAND



**TREND (optional)**  
ECO LEATHER



**SPORT (optional)**  
ECO-LEATHER AND FABRIC

“ Paths are made  
by travelling ”

*Franz Kafka*





## NEVIS 300

## NEVIS 800



**NEVIS 373**  
 5 seats | 4 beds | 7410 mm length | 2950 mm height



**NEVIS 822**  
 6 seats | 6 beds | 7260 mm length | 2890 mm height



**NEVIS 868**  
 4 seats | 4 beds | 6800 mm length | 2890 mm height



**NEVIS 375**  
 5 seats | 4 beds | 7410 mm length | 2950 mm height



**NEVIS 873**  
 4 seats | 4 beds | 7396 mm length | 2890 mm height



**NEVIS 875**  
 4 seats | 4 beds | 7425 mm length | 2890 mm height




**NEVIS 379**  
 5 seats | 4 beds | 7410 mm length | 2950 mm height



**NEVIS 879**  
 4 seats | 4 beds | 7396 mm length | 2890 mm height



**NEVIS 880**  
 4 seats | 4 beds | 7396 mm length | 2890 mm height



**NEVIS 381**  
 4 seats | 4 beds | 7410 mm length | 2950 mm height



**NEVIS 882**  
 4 seats | 4 beds | 7396 mm length | 2890 mm height

# NEVIS

Combi 4 | 
 150 Lit. | 
 35L 2.3 130 HP

# Range Highlights

Seitz windows

Step-on roof in fibreglass; Thickness anti-hail-bearing structure

Pleated sliding mosquito net on entrance door

Living space door with window, bin and blind

Cable pre-setting for solar panel


Multifunction heated electrical rear mirrors with integrated aerial electrically adjustable from inside

Panoramic windshield for greater visibility



300 KG

Garage doors with wide dimensions. Internal garage height up to 1470 mm (where foreseen)



Heated, lit garage



Lowered garage doors for a more comfortable loading (where foreseen)



Entrance step built into the floor to make it easier to go in and out (insulated step OPT)



Underbody made of fibreglass. Maximum resistance against water and atmospheric agents.



# NEVIS 300

- 1) Removable rack under the kitchen
- 2) Ornamental LED lights for your travel comfort
- 3) Extractor hood integrated in the kitchen furniture
- 4) Dinette shoulder with thickness 24 mm
- 5) "Space-saver" drop-down bed mechanism
- 6) Wooden table leg with typical crescent shape
- 7) XXL central bed (1600×1900 mm)
- 8) Beds with reclining headboards (where foreseen)



## All Inclusive

- MANUAL CAB AIR CONDITIONING
- CRUISE CONTROL
- DRIVER & PASSENGER AIRBAG
- CAB PLEATED MATS
- 5TH HOMOLOGATED SEAT IN RUNNING ORDER (WHERE FORESEEN)
- TV PLATE
- LIVING SPACE DOOR WITH WINDOW, BIN AND BLIND
- PLEATED SLIDING MOSQUITO NET ON ENTRANCE DOOR



NEVIS 379




NEVIS 379



1600 mm

NEVIS 379



NEVIS 379

# NEVIS 300



NEVIS 379



NEVIS 375



NEVIS 375



NEVIS 375



NEVIS 375



NEVIS 375

# NEVIS 300



NEVIS 375

# Range Highlights

Seitz windows

Special form of the roof for water downflow

Step-on roof in fibreglass; Thickness anti-hail-bearing structure

Pleated sliding mosquito net on entrance door. External LED light over the entrance door

Living space door with window, bin and central locking

Cable pre-setting for solar panel


Multifunction heated electrical rear mirrors with integrated aerial electrically adjustable from inside



LED lights



**300 KG**  
Garage doors with wide dimensions. Internal garage height up to 1470 mm (where foreseen)



Heated, lit garage



Lowered garage doors for a more comfortable loading (where foreseen)



Entrance step built into the floor to make it easier to go in and out (insulated step OPT)



White Skirts in fibreglass



Original lights FIAT integrated

# NEVIS 800

Panoramic wind-  
shield for greater  
visibility



- 1) Removable rack under the kitchen
- 2) Ornamental LED lights for your travel comfort
- 3) Wooden table leg with typical crescent shape and LED light (not foreseen with 5th homologated seat)
- 4) LED under the Seating Group
- 5) Dustbin with cover integrated in the kitchen top
- 6) "Space-saver" drop-down bed mechanism (A-Class)
- 7) Beds with reclining headboards (where foreseen)
- 8) XXL central bed 1600x1900 mm (Nevis 882)
- 9) Unit with retractable TV bracket system for 32" screen (Nevis 882)



Underbody made of  
fibreglass. Maximum  
resistance against  
water and atmos-  
pheric agents

## All Inclusive

- MANUAL CAB AIR CONDITIONING
- CRUISE CONTROL
- DRIVER & PASSENGER AIRBAG
- CAB PLEATED MATS
- TV PLATE
- ROOFLIGHT TURBOVENT (40X40 CM) IN THE KITCHEN AREA
- LIVING SPACE DOOR WITH WINDOW, BIN AND CENTRAL LOCKING
- PLEATED SLIDING MOSQUITO NET ON ENTRANCE DOOR
- CAB / BODY CENTRAL LOCKING WITH REMOTE CONTROL




NEVIS 873



NEVIS 873



NEVIS 873



NEVIS 873







NEVIS 873



NEVIS 873



NEVIS 873

# NEVIS 800



NEVIS 879



NEVIS 879



NEVIS 879



NEVIS 879





NEVIS 879



NEVIS 879



NEVIS 879



NEVIS 822



NEVIS 822



NEVIS 822

NEVIS 822





# NEVIS 800




“ The real voyage of discovery consists, not in seeking new landscapes, but in having new eyes ” *Marcel Proust*





# MC4 300

# MC4 800



**MC4 331**  
 4 seats | 4 beds | 5990 | 2950

**MC4 339**  
 4 seats | 4 beds | 6490 | 2950

**MC4 822**  
 6 seats | 6 beds | 6990 | 2870

**MC4 833**  
 5 seats | 5 beds | 6370 | 2870




**MC4 360**  
 5 seats | 4 beds | 6990 | 2950

**MC4 367**  
 5 seats | 4 beds | 6990 | 2950

**MC4 834**  
 4 seats | 4 beds | 6490 | 2870

**MC4 837**  
 4 seats | 4 beds | 6660 | 2870



**MC4 373**  
 5 seats | 4 beds | 7410 | 2950

**MC4 375**  
 5 seats | 4 beds | 7410 | 2950

**MC4 860**  
 5 seats | 5 beds | 6990 | 2870

**MC4 871**  
 4 seats | 4 beds | 6990 | 2870



**MC4 379**  
 5 seats | 4 beds | 7410 | 2950

**MC4 381**  
 4 seats | 4 beds | 7410 | 2950

**MC4 873**  
 5 seats | 5 beds | 7380 | 2870

**MC4 875**  
 5 seats | 5 beds | 7380 | 2870



**MC4 879**  
 5 seats | 5 beds | 7380 | 2870

**MC4 880**  
 5 seats | 5 beds | 7380 | 2870



**MC4 881**  
 4 seats | 4 beds | 7380 | 2870



Combi 4

150 Lit.  
 142 Lit. (MC4 331, MC4 339, MC4 360)  
 (MC4 834, MC4 860, MC4 871)

35L 2.3 130 HP

# Range Highlights

Seitz windows



Step-on roof in fibreglass; Thickness anti-hail-bearing structure



Pleated sliding mosquito net on entrance door



Living space door with window, bin and blind



Cable pre-setting for solar panel




Opening sky dome with blind and fly screen



300 KG

Garage doors with wide dimensions. Internal garage height up to 1470 mm (where foreseen)



Heated, lit garage



Lowered garage doors for a more comfortable loading (where foreseen)



Underbody made of fibreglass. Maximum resistance against water and atmospheric agents



Front bumper in white and integrated daylight



# MC4 300

- 1) Removable rack under the kitchen
- 2) Ornamental LED lights for your travel comfort
- 3) Extractor hood integrated in the kitchen furniture
- 4) Dinette shoulder with thickness 24 mm
- 5) Slide-out spice basket in kitchen wall unit (where foreseen)
- 6) XXL central bed (1600×1900 mm)
- 7) Step storage areas (where foreseen)
- 8) Beds with reclining headboards (where foreseen)



## All Inclusive

- MANUAL CAB AIR CONDITIONING
- CRUISE CONTROL
- DRIVER & PASSENGER AIRBAG
- CAB SEAT COVERS
- 5TH HOMOLOGATED SEAT IN RUNNING ORDER (WHERE FORESEEN)
- TV PLATE
- OPENING SKY DOME WITH BLIND AND FLY SCREEN
- LIVING SPACE DOOR WITH WINDOW, BIN AND BLIND
- PLEATED SLIDING MOSQUITO NET ON ENTRANCE DOOR



MC4 360



MC4 360



MC4 360



MC4 360



MC4 360


# MC4 300



MC4 360



MC4 373



MC4 373



MC4 373



MC4 375





MC4 373



MC4 373



MC4 373



MC4 373

# MC4 300



MC4 381



MC4 381



MC4 381



MC4 381



MC4 381



MC4 381

# MC4 300



MC4 381

# Range Highlights

Seitz windows



Special form of the roof for water downflow



Step-on roof in fibreglass; Thickness anti-hail-bearing structure



Pleated sliding mosquito net on entrance door. External LED light over the entrance door



Living space door with window, bin and central locking



Cable pre-setting for solar panel



Opening sky dome with blind and fly screen



LED lights



300 KG

Garage doors with wide dimensions. Internal garage height up to 1470 mm (where foreseen)



Heated, lit garage



Lowered garage doors for a more comfortable loading (where foreseen)



Underbody made of fibreglass. Maximum resistance against water and atmospheric agents



Front bumper in white and integrated daylight



# MC4 800

- 1) Removable rack under the kitchen
- 2) Dustbin with cover integrated in the kitchen top
- 3) Ornamental LED lights for your travel comfort
- 4) Backlit led light on kitchen furniture
- 5) LED under the Seating Group
- 6) Table with 360° rotation system
- 7) Beds with reclining headboards (where foreseen)
- 8) XXL central bed (1600×1900 mm) (MC4 871, MC4 881)



## All Inclusive

- MANUAL CAB AIR CONDITIONING
- CRUISE CONTROL
- DRIVER & PASSENGER AIRBAG
- CAB SEAT COVERS
- OPENING SKY DOME WITH BLIND AND FLY SCREEN
- 5TH HOMOLOGATED SEAT IN RUNNING ORDER (WHERE FORESEEN)
- TV PLATE
- ROOFLIGHT TURBOVENT (40X40 CM) IN THE KITCHEN AREA
- LIVING SPACE DOOR WITH WINDOW, BIN AND CENTRAL LOCKING
- PLEATED SLIDING FLY SCREEN WITH LED EXTERNAL LIGHT
- CAB / BODY CENTRAL LOCKING WITH REMOTE CONTROL




MC4 879



MC4 879



MC4 879





# MC4 800



MC4 871



MC4 871



MC4 871

MC4 871





MC4 871



MC4 871



MC4 871



MC4 871

# MC4 800



MC4 881



MC4 881



MC4 881



MC4 881





# MC4 800

“The most beautiful trip is the one we have not yet undertaken”

*Loick Peyron*







## GLAMYS 300

## GLAMYS 800



**GLAMYS 322**  
 🚰 7 | 🍳 7 | 📏 6990 | 📏 3200




**GLAMYS 822**  
 🚰 7 | 🍳 7 | 📏 6990 | 📏 3050



**GLAMYS 326**  
 🚰 6 | 🍳 6 | 📏 6990 | 📏 3200



**GLAMYS 823**  
 🚰 6 | 🍳 5 | 📏 7354 | 📏 3050



**GLAMYS 826**  
 🚰 6 | 🍳 6 | 📏 6990 | 📏 3050



**GLAMYS 840**  
 🚰 6 | 🍳 6 | 📏 6990 | 📏 3050

# GLAMYS

🔥 Combi 4 | 📏 150 Lit. | 🏎️ 35L 2.3 130 HP

# Range Highlights

Step-on roof in fibreglass; Thickness anti-hail-bearing structure



Cable pre-setting for solar panel



Pleated sliding mosquito net on entrance door



Living space door with window, bin and blind



Overcab window



XXL Overcab



Garage doors with wide dimensions. Internal garage height up to 1470 mm (where foreseen)



Lowered garage doors for a more comfortable loading (where foreseen)



Underbody made of fibreglass. Maximum resistance against water and atmospheric agents

# GLAMYS 300



- 1) Removable rack under the kitchen
- 2) Backlit led light on kitchen furniture
- 3) XXL Overcab



## All Inclusive

- MANUAL CAB AIR CONDITIONING
- CRUISE CONTROL
- DRIVER & PASSENGER AIRBAG
- CAB SEAT COVERS
- TV PLATE
- LIVING SPACE DOOR WITH WINDOW, BIN AND BLIND
- PLEATED SLIDING MOSQUITO NET ON ENTRANCE DOOR

# Range Highlights

Step-on roof in fibreglass; Thickness anti-hail-bearing structure



Cable pre-setting for solar panel



Pleated sliding mosquito net on entrance door. External LED light over the entrance door



Living space door with window, bin and central locking




Overcab window



Garage doors with wide dimensions. Internal garage height up to 1470 mm (where foreseen)

300 KG



Heated, lit garage



Lowered garage doors for a more comfortable loading (where foreseen)



Underbody made of fibreglass. Maximum resistance against water and atmospheric agents

# GLAMYS 800



1

- 1) Removable rack under the kitchen
- 2) Ornamental LED lights for your travel comfort
- 3) Backlit led light on kitchen furniture
- 4) Table with 360° rotation system (where foreseen)
- 5) Dustbin with cover integrated in the kitchen top (where foreseen)



2



360°

4



3



5

## All Inclusive

- MANUAL CAB AIR CONDITIONING
- CRUISE CONTROL
- DRIVER & PASSENGER AIRBAG
- CAB SEAT COVERS
- TV PLATE
- ROOFLIGHT TURBOVENT (40X40 CM) IN THE KITCHEN AREA
- LIVING SPACE DOOR WITH WINDOW, BIN AND CENTRAL LOCKING
- PLEATED SLIDING MOSQUITO NET ON ENTRANCE DOOR. EXTERNAL LED LIGHT OVER THE ENTRANCE DOOR
- CAB / BODY CENTRAL LOCKING WITH REMOTE CONTROL



GLAMYS 823



GLAMYS 823



GLAMYS 823





GLAMYS 823



GLAMYS 823

# GLAMYS 800



GLAMYS 822



GLAMYS 822



GLAMYS 822



GLAMYS 822



GLAMYS 822




GLAMYS 822



# GLAMYS 800



GLAMYS 822



“ Travel doesn't merely  
broaden the mind: it  
makes the mind ”

*Bruce Chatwin*



# MENFYS VAN



**MENFYS 1**

4 | 2+1 | 5420 | 2630



**MENFYS 3**

4 | 2+1 | 5995 | 2630



**MENFYS 3 MAXI**

4 | 4+1 | 5995 | 2630



**MENFYS 4**

4 | 2+1 | 6360 | 2630



**MENFYS 4CS**

4 | 2+1 | 5995 | 2630



**MENFYS 5**

4 | 2+1 | 5995 | 2630

# MENFYS VAN



Combi 4



140 Lit. (MENFYS 5)  
80 Lit. (MENFYS 3, MENFYS 3 MAXI, MENFYS 4)  
85 Lit. (MENFYS 1, MENFYS 4 CS)



MENFYS 1, MENFYS 3, MENFYS 3 MAXI, MENFYS 4 CS, MENFYS 5  
33L - 2.0 (115HP) - 2.3 (130/150/180HP)  
35L - 2.3(130/150/180HP)



MENFYS 4  
35L - 2.3 (130/150/180HP)

# Range Highlights



Every season  
a drive away



## ROOF - WALL INSULATION

FULL COVERAGE OF THE VAN WITH A POLYESTER FIBRE WITH AN ALUMINIUM FILM ON THE INTERNAL ROOF AND WALLS. REDUCE BY 50% THE TIME TO REACH A PLEASANT AMBIANCE. IMPROVES BY MORE THAN 65% THE TEMPERATURE UNIFORMITY. KEEPS TEMPERATURE WARMER AND MORE CONSTANT



# MENFYS VAN S-LINE

## All Inclusive

- CENTRAL LOCKING
- ELECTRICAL WINDOWS
- ABS
- ASR
- DRIVER AIR BAG
- INSULATING CAB WINDOWS
- SEATS WITH ADJUSTABLE HEIGHT
- CAB SEATS WITH TWIN ARMREST
- SWIVELLING SEATS
- ELECTRIC AND HEATED EXTERNAL MIRRORS
- WHEEL COVER
- CUP HOLDER
- CABIN CARPET
- TRANSPARENT ROOFLIGHT (40X40 CM)
- COMBI 4 DIESEL
- ROOF LIGHT INTEGRATED INTO THE ROOF
- FRONT AND REAR USB SOCKET
- XL WINDOW IN THE LIVING AREA (900 MM)



- 1) USB INPUT
- 2) LED LIGHTING ON KITCHEN PANEL
- 3) RETRACTABLE KITCHEN TOP
- 4) ALUMINIUM KITCHEN PROFILES
- 5) SLIDING DRAWERS
- 6) COMPLETELY PULL-OUT DRAWER
- 7) TABLE EXTENSION
- 8) STORAGE HATCH IN DINETTE



S-LINE 3 MAXI



S-LINE 3 MAXI



S-LINE 3 MAXI

# MENFYSVAN S-LINE



S-LINE 3 MAXI



S-LINE 3 MAXI



S-LINE 3 MAXI



S-LINE 3 MAXI



S-LINE 3 MAXI



S-LINE 3 - PACK PRESTIGE



S-LINE 3 - PACK PRESTIGE

## Pack prestige (OPT)

- PRESTIGE "DESIGN"
- AIR CONDITIONING MANUAL
- WHITE BUMPER
- DOUBLE PANORAMIC ROOFLIGHT
- SLIDING ELECTRICAL STEP
- FOLDER TABLE
- SHOWER PLATFORM IN WOOD
- CAB SEAT COVER
- CAB MATS
- FLYNET FOR SLIDING DOOR

### \* PRESTIGE DESIGN: DETAILS

- Kitchen wall unit with methacrylate coating and built-in leds
- Acrylic stone kitchen top
- Methacrylate kitchen finish with logo
- Led lighting built into aluminium profiles
- Door on storage compartment at entrance
- Door to close compartment over cab
- Dinette wall unit doors with chrome liner

S-LINE 3 - PACK PRESTIGE





# MENFYSVAN S-LINE (PACK PRESTIGE)



S-LINE 3 - PACK PRESTIGE



The masses indicated in this catalogue refer to the provisions of European Directive 2007/46/EC.

#### **MASS IN RUNNING ORDER**

It includes the weight of the empty BASE vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and a gas tank for living purposes (20 kg). The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

#### **PAYLOAD**

This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects. The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage. All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC. Any optional equipment increases the mass in running order and decreases the payload. The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue. Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers. In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats. Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle. The regulations and requirements of each country may entail changes in the characteristics of this table. The number of certified seats may vary depending on the traffic regulations in force in each country.

#### **NOTES**

SEA S.P.A. - McLouis reserves itself the right to change the characteristics and the furnishings of all its models with no advance notice required; all data contained in this leaflet must therefore be considered approximate and non-binding. Despite thorough checks of the contents, we cannot exclude possible printing and/or translating errors. This catalogue does not constitute contractual documentation. Any reproduction, including in part, of the test or of the content of this document is prohibited. The indicated weights are exclusively approximated. Tolerances of +/-5 % are allowed. Generally speaking, special equipment and options increase the no-load weight and entail a reduction in the payload. We hereby decline any and all responsibility in case structural changes are made to the vehicle; any assembly, disassembly or changes carried out by unauthorised workshops may jeopardise your safety and cause the warranty clauses to be forfeited. For additional information on installation and technical details, please contact one of our dealers.

#### **GARAGE WEIGHT CAPACITY UP TO 300 KG**

The load for the rear stowage has a maximum limit of 300 kg, uniformly distributed, in respect of the distribution of the maximum permissible loads on the front / rear axles.



#### **VEHICLES'ORNAMENTS DELIVERY BY:**

LENE BJERRE - [www.lenebjerre.com](http://www.lenebjerre.com)  
BORG DE MEDICI - [www.borgodemedici.it](http://www.borgodemedici.it)  
WALLY - [www.wallycosmetici.com](http://www.wallycosmetici.com)





**SEA S.p.A. - McLouis**  
Via Val d'Aosta, 4 - I  
53036 Poggibonsi (SI)  
Tel. (+39) 0577 99511  
Fax (+39) 0577 995218

**[www.mclouis.com](http://www.mclouis.com)**